

PRODUCT CODE: 153703COLOR

Issuing Date 26-Sept-2016 Revision Date Revision Number 0

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

GHS Product Identifier

Product Name: Grip Coat Resurfacer

Other Means of Identification

Product Code(s): 153703COLOR

Synonyms None

Recommended Use of the Chemical and Restrictions on Use
Recommended Use:

No Information Available

Uses Advised Against: No information Available

Supplier's Details
Garon Products, Inc.
P.O. Box 1924
Wall, NJ 07719
1-732-245-0653

www.garonproducts.com

Emergency Telephone Number Chemtrec 1-800-424-9300

Warning

2. HAZARDS IDENTIFICATION

Classification

Acute Oral Toxicity		Category 4	
---------------------	--	------------	--

GHS Label Elements, Including Precautionary Statements

Emergency Overview

Harmful if swallowed



Signal Word

Appearance: Black Physical State: Liquid Odor: Mild

Precautionary Statements

Prevention ● Wash face, hands, and any exposed skin thoroughly after handling.

• Do not eat, drink, or smoke when using this product.

General Advice • None

• If SWALLOWED; Call a POISON CENTER or doctor/physician if you feel unwell.

• Rinse mouth

Storage • None

Disposal ● Dispose of contents/container to an approved waste disposal plant.

Hazard Not Otherwise Classified (HNOC)

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %	Trade Secret
Acrylic Polymer	Proprietary	15-40	*
Cellulose	9004-34-6	0-5	*
Quartz	14808-60-7	30-65	*

© 2019 Garon Products Inc. Grip Coat Resurfacer Page **1** of **6**



PRODUCT CODE: 153703COLOR

Attapulgite	12174-11-7	0-10	*
Texanol	25265-77-4	0-5	*

^{*}The exact percentage of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of Necessary First-Aid Measures

Eye ContactRinse thoroughly with plenty of water, also under the eyelids. If symptoms persist, call a physician. **Skin Contact**Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions,

see a physician.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Drink plenty of water. Do NOT induce vomiting. Never give anything by mouth to an unconscious

person. Consult a physician if necessary.

Most Important Symptoms/Effects, Acute and Delayed

Most Important Symptoms/Effects No information available

Indication of Immediate Medical Attention and Special Treatment Needed, If Necessary

Notes to Physician Treat Symptomatically. May cause sensitization by skin contact.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Carbon Dioxide (CO₂). Dry Chemical. Foam. Water Spray. Water Fog.

Unsuitable Extinguishing Media None

Specific Hazards Arising from the Chemical

No information available

Explosion Data

Sensitivity to Mechanical Impact None
Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure- demand MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Personal Precautions: Use personal protective equipment.

Environmental Precautions

Environmental Precautions: See Section 12 for additional Ecological Information. Prevent product from entering drains.

Do not flush into surface water or sanitary sewer system.

Methods and Materials for Containment and Cleaning Up

Methods for Containment: Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up: Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

Clean contaminated surface thoroughly.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes,

and clothing. Wear personal protective equipment. Do not eat, drink, or smoke when using this product.

Wash thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Storage: Keep container tightly closed

Incompatible Products: Strong oxidizing agents. Strong Bases.

© 2019 Garon Products Inc. Grip Coat Resurfacer Page **2** of **6**



PRODUCT CODE: 153703COLOR

EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Quartz 14808-60-7	TWA: 0.025 mg/m³ respirable fraction	30/(%SiO2+2) mg/m³ TWA, Total Dust; 250/(%SiO2+5) mppcf TWA, respirable fraction; 10/(%SiO2+2) mg/m³ TWA, respirable TWA: 0.1 mg/m³ (vacated)	IDLH: 50 mg/m³ respirable dust TWA: 0.05 mg/m³ respirable dust
Attapulgite 12174-11-7	. 9		TWA: 15 mg/m³ total dust TWA: 5 mg/m³ respirable dust

Appropriate Engineering Controls

VOC Content

Engineering Measures: Showers

> **Eyewash Stations** Ventilation Systems

Individual Protection Measures, such as Personal Protective Equipment

Eye/Face Protection: If splashes are likely to occur, wear: Safety glasses with side shields.

Skin and Body Protection: Impervious gloves.

Respiratory Protection: No protective equipment is needed under normal use conditions. If exposure limits are exceeded or

irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn.

Remarks/Method

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures:**

PHYSICAL AND CHEMICAL PROPERTIES

Information on Basic Physical and Chemical Properties

Physical State: Liquid Appearance: Black

Values

Odor: Mild **Odor Threshold:** No Information Available

Property рΗ No data available None known Melting Point/Range No data available None known **Boiling Point/Boiling Range** 100° C None known Flash Point No data available None known **Evaporation Rate** No data available None known Flammability (solid, gas) No data available None known Flammability Limits in Air Upper flammability limit No data available Lower flammability limit No data available No data available **Vapor Pressure** None known **Vapor Density** No data available None known **Specific Density** 1.67 @ 77 F None known Easily dispersible **Water Solubility** None known No data available Solubility in other solvents None known Partition coefficient: n-octanol/water No data available None known No data available **Auto ignition Temperature** None known No data available **Decomposition Temperature** None known Viscosity No data available None known **Flammable Properties** Not Flammable **Explosive Properties** No data available **Oxidizing Properties** No data available

No data available

© 2019 Garon Products Inc. **Grip Coat Resurfacer** Page 3 of 6



PRODUCT CODE: 153703COLOR

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: None under normal processing.

Hazardous Polymerization: Hazardous polymerization does not occur.

Conditions to Avoid: Incompatible products.

Incompatible Materials: Strong oxidizing agents. Strong bases.

Hazardous Decomposition Products: Carbon Monoxide (CO), Carbon Dioxide (CO²), and unburned hydrocarbons (smoke)

11. TOXICOLOGICAL INFORMATION

Information on Likely Routes of Exposure

Product Information

Inhalation:May cause irritation of respiratory tract.Eye Contact:Contact with eyes may cause irritation.

Skin Contact: May cause irritation.

Ingestion: Harmful if swallowed.

Chemical Name	LD50 Oral	LD50 Dermal	LD50 Inhalation
Quartz	500 mg/kg (Rat)	-	-
Texanol	3.2 g/kg (Rat)	-	>3500mg/m³ 6hrs.

Symptoms Related to the Physical, Chemical, and Toxicological Characteristics

Symptoms: No information available.

Delayed and Immediate Effects and also Chronic Effects from Short and Long Term Exposure

Sensitization: No information available.

Mutagenic Effects: No information available.

Carcinogenicity: The table below indicates whether each agency has listed any ingredient as a carcinogen.

This product contains crystalline silica (quartz) in a non-respirable form. Inhalation of crystalline silica

is unlikely to occur from exposure to this product.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz	A2	Group 1	Known	X

ACGIH: (American Conference of Governmental Industrial Hygienists)

A2 – Suspected Human Carcinogen

IRAC: (International Agency for Research on Cancer)

Group 1 – Carcinogenic to Humans NTP: (National Toxicity Program) Known - Known Carcinogen

OSHA: (Occupational Safety & Health Administration)

X – Present

 Reproductive Toxicity:
 No information available.

 STOT - Single Exposure:
 No information available.

 STOT - Repeated Exposure:
 No information available.

 Aspiration Hazard:
 No information available.

12. ECOLOGICAL INFORMATION

Ecotoxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Texanol 25265-77-4	-	LC50 96 h: 30 mg/L (Pimephales Promelas)	-	L50 96h: = >95 mg/L (Daphnia magna)



Persistence and Degradability: No information available.

Bioaccumulation

Other Adverse Effects: No information available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods: This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This

> material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste.

Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging: Do not re-use empty containers.

14. TRANSPORTATION INFORMATION

DOT: Not regulated

15. REGULATORY INFORMATION

International Inventories

TSCA - Complies **DSL/NDSL** - Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

SARA 311/312 Hazard Categories

Acute Health Hazard Yes

Chronic Health Hazard No Fire Hazard No **Sudden Release of Pressure Hazard** No **Reactive Hazard** No

This product does not contain any substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material does not contain any substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

U.S. State Regulations

California Proposition 65:

Chemical Name	CAS Number	California Prop. 65
Quartz	14808-60-7	Carcinogen

U.S. State Right-To-Know Regulations

"X" designates that the ingredients are listed on the state right to know list.

Chemical Name	New Jersey	Massachusetts	Pennsylvania	Illinois	Rhode Island
Quartz	Χ	X	X	•	X

U.S. EPA Label Information

EPA Pesticide Registration Number: Not applicable

© 2019 Garon Products Inc. **Grip Coat Resurfacer** Page 5 of 6



PRODUCT CODE: 153703COLOR

16. OTHER INFORMATION

NFPA Health Hazard: 1 Flammability: 0 Instability: 0 Physical and

Chemical Hazards-

HMIS Health Hazard: 1 Flammability: 0 Physical Hazard: 0 Personal Protection: X

Revision Date: 26-Sept-2016

Revision Note: No information available.

General Disclaimer

The information provided on this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

© 2019 Garon Products Inc. Grip Coat Resurfacer Page **6** of **6**